

The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected for certified reference standards at known concentrations.

93483-CN					
ID	Weight %	Concentration (mg/mL)			
D9-THC	0.284	2.67			
THCV	ND	ND			
CBD	10.9	102			
CBDV	0.0409	0.384			
CBG	0.0978	0.917			
CBC	0.352	3.31			
CBN	0.0232	0.218			
THCA	ND	ND			
CBDA	0.109	1.02			
CBGA	ND	ND			
D8-THC	ND	ND			
exo-THC	ND	ND			
Total	11.8	111	0%	Cannabinoids (wt%)	10.9%
Max THC	0.284	2.67		Limit of Quantitation (LOQ) =	0.0112 wt%
Max CBD	11.0	103		Limit of Detection (LOD) =	0.0037 wt%

#### Ratio of Total CBD to THC 38.8:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC =  $(0.877 \times THCA) + THC$ . This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND = None detected above the limits of detection (LOD), which is one third of LOQ.

## **END OF REPORT**

02405 CM

420 Fortune Blvd • Milford, MA 01757 • 617-221-3356 www.ProVerdeLabs.com

Analyst: AEG

### TP: Terpenes Profile [WI-10-27]

### Test Date: 2/6/2021

Client sample analysis was performed using full evaporative technique (FET) headspace sample delivery and gas chromatographic (GC) compound separation. A combination of flame ionization detection (FID) and/or mass spectrometric (MS) detection with mass spectral confirmation against the National Institute of Standards and Technology (NIST) Mass Spectral Database, Revision 2017 were used. Chromatographic and/or mass spectral data were processed by quantitatively comparing the analytical peak areas against calibration curves prepared from certified reference standards.

### 91808-TP

Compound	CAS	Conc. (wt%)	Conc. (ppm)	Qualitative Profile		
alpha-pinene	80-56-8	0.0203	203			
camphene	79-92-5	0.0007	7.22			
sabinene*	3387-41-5	ND	ND			
beta-myrcene	123-35-3	0.0994	994			
beta-pinene	127-91-3	0.0091	90.9			
alpha-phellandrene	99-83-2	ND	ND			
delta-3-carene	13466-78-9	ND	ND			
alpha-terpinene	99-86-5	ND	ND			
alpha-ocimene	502-99-8	ND	ND			
D-limonene	138-86-3	0.0317	317			
p-cymene	99-87-6	ND	ND			
cis-beta-ocimene	3338-55-4	ND	ND			
eucalyptol	470-82-6	<rl< td=""><td><rl< td=""><td></td></rl<></td></rl<>	<rl< td=""><td></td></rl<>			
gamma-terpinene	99-85-4	<rl< td=""><td><rl< td=""><td></td></rl<></td></rl<>	<rl< td=""><td></td></rl<>			
terpinolene	586-62-9	<rl< td=""><td><rl< td=""><td></td></rl<></td></rl<>	<rl< td=""><td></td></rl<>			
linalool	78-70-6	ND	ND			
L-fenchone*	7787-20-4	0.0016	15.9			
isopulegol	89-79-2	ND	ND			
menthol*	89-78-1	ND	ND			
geraniol	106-24-1	ND	ND			
beta-caryophyllene	87-44-5	0.292	2,920			
alpha-humulene	6753-98-6	0.0583	583			
cis-nerolidol	3790-78-1	ND	ND			
trans-nerolidol	40716-66-3	ND	ND			
guaiol	489-86-1	ND	ND			
caryophyllene oxide	1139-30-6	ND	ND			
alpha-bisabolol	23089-26-1	ND	ND			
wt% 0.00 0.25 0.50						

### Total Terpene: 0.5 wt%

\* Certified reference standard not available for this compound. Concentration is estimated using the response factor from alpha-pinene. ND = None Detected. RL = Reporting Limit of 5 ppm.

# **END OF REPORT**